

Curriculum Vitae

David Wirtshafter

Business Address

The University of Illinois at Chicago
Dept. Psychology, (M/C 285)
Laboratory for Integrative Neuroscience
Room 1009 BSB
1007 W Harrison St.
Chicago, Illinois 60607-7137

Office: 312-413-2631
FAX: 312-413-4122
Email: davew@uic.edu

Employment

1981-1982 -Visiting Instructor, University of Illinois at Chicago
1982-1987 -Assistant Professor, University of Illinois at Chicago
1987- 1998 -Associate Professor, University of Illinois at Chicago
1998- -Professor, University of Illinois at Chicago

Education

B.A. University of Illinois at Chicago, 1974
M.A. University of Illinois at Chicago, 1979
Ph.D. University of Illinois at Chicago, 1982

Theses

M.A. Thesis: Role of interpedunculotegmental connections in activity and avoidance.
Doctoral Dissertation: Behavioral effects of habenular lesions.

Honors

University of Illinois Scholar, 1986
Nominated for Silver Circle Award for Teaching, 1983, 1984, 1985, 1986, 1998
Silver Circle Award for Teaching, 1987, 1990, 1994, 2011.
Teaching Recognition Program Award, 1997, 2004
Excellence in Teaching Award, 2002

Courses Taught

Introduction to Psychology
Physiological Psychology
Advanced Physiological Psychology
Laboratory in Physiological Psychology
Learning
Laboratory in Learning
Advanced Learning
Statistics
Fundamentals of Neuroscience
Basic Brain Function
Motivation
Neuroscience II
Neural Basis of Motivation
Perception
Advanced History of Psychology
Clinical Psychopharmacology
Neuroscience
Neuroanatomy
Neural Substrates of Consciousness

Professional Service**Reviewer for:**

American Journal of Physiology
Behavioral Brain Research
Behavioral Neuroscience
BMC Neuroscience
Brain Research
Brain Research Reviews
Brain Research Bulletin
British Journal of Pharmacology
European Journal of Neuroscience
European Journal of Nutrition
European Journal of Pharmacology
Frontiers in Systems Neuroscience
Journal of Autonomic Neuroscience
Journal of Neurochemistry
Journal of Neuroscience
Journal of Pharmacology and Experimental Therapeutics
Neurochemistry International
Neuroscience
Neuroscience and Biobehavioral Reviews
Neuroscience Letters
Neuropharmacology
Neuropsychopharmacology
Nutritional Neuroscience
Physiology and Behavior

Pharmacology, Biochemistry and Behavior

PLOS ONE

Psychopharmacology

Schizophrenia Research

Trends in Neurosciences

Consultant for:

Abbott Laboratories (Abbott Park, IL)

Natural Product Sciences (Salt Lake City, UT)

Allelix Neuroscience (South Plainfield, NJ)

Zeneca Pharmaceuticals (Wilmington, DE)

Upsher-Smith Laboratories (Maple Grove, MN)

Publications

Davis, J.D. & D. Wirtshafter. The control of body weight by glycerol. *The Physiologist*. 20: 214, 1977.

Wirtshafter, D. & J.D. Davis. Set points, settling points, and the control of body weight. *Physiol. Behav.*, 19: 75-78, 1977.

Wirtshafter, D. & J.D. Davis. Body weight: Reduction by long term glycerol treatment. *Science*, 198: 1271-1274, 1977.

Wirtshafter, D., K.E. Asin & E.W. Kent. Nucleus accumbens lesions reduce amphetamine hyperthermia but not hyperactivity. *Eur. J. Pharmacol.* 51, 449-452, 1978.

Davis, J.D. & Wirtshafter, D. Set points or settling points for body weight? A reply to Mrosovsky and Powley. *Behav. Biol.*, 24: 405-411, 1978.

Asin, K.E., D. Wirtshafter & E.W. Kent. Impaired patterned responding in rats with electrolytic median raphe lesions. *Physiol. Behav.* 23, 803-806, 1979.

Asin, K.E., D. Wirtshafter & E.W. Kent. Straight alley acquisition and extinction and open field activity following discrete electrolytic lesions of the mesencephalic raphe nuclei. *Behav. Neural Biol.* 25, 242-256, 1979.

Wirtshafter, D., K.E. Asin & E.W. Kent. Simple technique for midline stereotaxic surgery in the rat. *Physiol. Behavior*. 23, 409-410, 1979.

Asin, K.E., D. Wirtshafter & E.W. Kent. The effects of electrolytic median raphe lesions on two measures of latent inhibition. *Behav. Neural Biol.* 28, 408-417, 1980.

Davis, J.D., D. Wirtshafter, K.E. Asin & D. Brief. Sustained intracerebroventricular infusion of brain fuels reduces body weight and food intake in rats. *Science* 212, 81-83, 1981.

Wirtshafter, D. Role of interpeduncular connections with the tegmentum in avoidance learning. *Physiol. Behav.*, 26: 985-989, 1981.

Wirtshafter, D. & K.E. Asin. Shock induced suppression of drinking following electrolytic median raphe lesions. *Physiol. Psychol.* 9, 263-268, 1981.

Asin, K.E. & D. Wirtshafter. Ingestive behaviors of rats with electrolytic median raphe lesions maintained on a food deprivation schedule. *Physiol. Behav.* 28, 89-93, 1982.

Wirtshafter, D. & K.E. Asin. A comment on the practice of expressing food and water intakes relative to body weight. *Physiol. Behav.* 28, 183-185, 1982.

Rosen, A.J., D. Wirtshafter, G.N. Pandy & J.M. Davis. Platlet monoamine oxidase activity and behavioral response to pharmacotherapy in psychiatric patients. Psychiat. Res. 6, 49-59, 1982.

Wirtshafter, D. & K.E. Asin. Evidence that electrolytic median raphe lesions increase locomotion but not exploration. Physiol. Behav. 28, 749-754, 1982.

Asin, K.E., D. Wirtshafter & H.C. Fibiger. Alterations in drug induced catalepsy and post-decapitation convulsions following brain and spinal cord depletion of norepinephrine by the neurotoxin DSP4. Life Sci. 30, 1531-1536, 1982.

Wirtshafter, D. & K.E. Asin. Impaired acquisition and performance of an 8-arm radial maze task following electrolytic lesions of the median nucleus of the raphe. Exper. Neurol. 79, 412-421, 1983.

Asin, K.E., D. Wirtshafter & B. Tabakoff. Failure to establish conditioned place preference with ethanol in rats. Pharmacol. Biochem. Behav. 22, 169-173, 1985.

Asin, K.E., D. Wirtshafter & B. Tabakoff. Pentobarbital-induced drinking does not rely on a renal dipsogen, Physiol. Behav. 34, 151-153, 1985.

Wirtshafter, D. & K.E. Asin. Haloperidol and nonreinforcement produce different patterns of response slowing in a food reinforced runway task. Pharmacol. Biochem. Behav., 22, 661-663, 1985.

Asin, K.E., D. Wirtshafter & H.C. Fibiger. Electrolytic, but not 5,7-dihydroxytryptamine, lesions of the nucleus medianus raphe impair acquisition of a radial maze task. Behav. Neural Biol., 44, 415-424, 1985.

Asin, K.E. & D. Wirtshafter. Clonidine produces a conditioned place preference in rats. Psychopharmacol., 85, 383-385, 1985.

Wirtshafter, D., K.E. Asin & S.A. Lorens. Serotonin-immunoreactive projections to the hippocampus from the interpeduncular nucleus in the rat. Neurosci. Lett., 64: 259-262, 1986.

Wirtshafter, D. & K.E. Asin. Discrimination learning and reversal following electrolytic lesions of the median raphe nucleus. Physiol. Behav., 37, 213-219, 1986.

Wirtshafter, D. & K.E. Asin. Serotonin and behavioral inhibition: Running the rat race without any brakes? Behav. Brain Sci., 9, 347-348, 1986.

Wirtshafter, D., Montana, W. & Asin, K.E. Behavioral and biochemical studies of the origin of the hyperactivity produced by median raphe lesions. Physiol. Behav., 38, 751-759 1986.

Wirtshafter, D., Klitenick, M. & Asin, K.E. Evidence against serotonergic involvement in the hyperactivity produced by injections of muscimol into the median raphe nucleus. *Pharmacol. Biochem. Behav.*, 27, 45-52, 1987.

Wirtshafter, D., Stratford, T. & Asin, K.E. Evidence that serotonergic projections to the substantia nigra in the rat arise in the dorsal, but not the median, raphe nucleus. *Neuroscience Lett.*, 77, 261-266, 1987.

Wirtshafter, D. & McWilliams, C. Acute injections of kainic acid into the median raphe nucleus produce a suppression of locomotor activity. *Brain Research*, 408, 349-352, 1987.

Klitenick, M.A. & Wirtshafter, D. Comparative studies of the ingestive behaviors produced by injections of muscimol into the ventral tegmental area and the dorsal and median raphe nuclei. *Life Sci.*, 42, 775-782, 1988.

Wirtshafter, D., Klitenick, M. & Asin, K.E. Is dopamine involved in the hyperactivity produced by injections of muscimol into the median raphe nucleus. *Pharmacol. Biochem. Behav.* 30, 577-583, 1988.

Wirtshafter, D. & Trifunovic, R. Elicitation of ingestive behavior by injections of excitatory amino acid antagonists into the median raphe nucleus. *Pharmacol. Biochem. Behav.*, 30, 529-533, 1988.

Stratford, T.R. & Wirtshafter, D. Evidence for a projection from the B9 serotonergic cell group to the median raphe nucleus. *Brain Res. Bull.*, 21, 3325-328, 1988.

Wirtshafter, D., Trifunovic, R & Krebs, J.C. Behavioral and biochemical evidence for a functional role of excitatory amino acids in the median raphe nucleus. *Brain Res.*, 482, 225-234, 1989.

Wirtshafter, D. & Klitenick, M.A. Comparative studies of locomotor activity following injections of muscimol into various sites in the median tegmentum. *Pharmacol. Biochem. Behav.*, 32, 625-628, 1989.

Klitenick, M.A. & Wirtshafter, D. Elicitation of feeding, drinking, and gnawing following injections of muscimol into the median raphe nucleus. *Behav. Neural Biol.*, 51, 436-441, 1989.

Stratford, T.R. & Wirtshafter, D. Ascending dopaminergic projections from the dorsal raphe nucleus in the rat. *Brain Res.*, 511, 173-176, 1990.

Wirtshafter, D. & Krebs, J.C. Control of food and water intake by kainate/quisqualate receptors within the median raphe nucleus. *Psychopharmacol.*, 101, 142-145, 1990.

Asin, K.E., & Wirtshafter, D. Evidence for dopamine involvement in reinforcement obtained using a latent extinction paradigm. *Pharmacol. Biochem. Behav.*, 36, 417-420, 1990.

Wirtshafter, D. & Asin, K.E. Dissociation of haloperidol induced "anhedonia" and catalepsy by lesions of the dorsal raphe nucleus. *Pharmacol. Biochem. Behav.*, 40, 1001-1004, 1991.

Wirtshafter, D. & Trifunovic, R. Nonserotonergic control of nucleus accumbens dopamine metabolism by the median raphe nucleus. *Pharmacol. Biochem. Behav.*, 41, 501-505, 1992.

Asin, K.E. & Wirtshafter, D. Effects of repeated dopamine-D1 receptor stimulation on rotation and c-fos expression. *Europ. J. Pharmacol.* 235: 167-168 (1993).

Wirtshafter, D. & Stratford, T.R. Evidence for a GABAergic projection from the tegmental nuclei of Gudden to the mammillary body in the rat. *Brain Res.*, 630: 188-194, 1993.

Wirtshafter, D., Pitzer, M.A. & Stratford, T.R. Studies on the behavioral activation produced by stimulation of GABA-B receptors in the median raphe nucleus. *Behavioral Brain Res.*, 59: 83-93, 1993.

Wirtshafter, D., Asin, K.E. and Pitzer, M.A. Dopamine agonists and stress produce different patterns of Fos-like immunoreactivity in the lateral habenula. *Brain Res.* 633: 21-26, 1994.

Asin, K.E., Nikkel, A.L. & Wirtshafter, D. Repeated D1 receptor agonist treatment blocks cocaine-induced locomotor activity and c-fos expression. *Brain Res.*, 637: 342-344, 1994.

Wirtshafter, D. & Asin, K.E. Interactive effects of D1 and D2 receptor stimulation on c-fos expression in the normosensitive rat striatum. *Brain Res. Bull.*, 35: 85-91, 1994.

Wirtshafter, D. & Asin, K.E. Dopamine antagonists induce Fos-like immunoreactivity in the substantia nigra and entopeduncular nucleus of the rat. *Brain Res.*, 670: 205-214, 1995.

Klitnick, M.A. & Wirtshafter, D. Behavioral and neurochemical effects of opioids in the paramedian midbrain tegmentum. *J. Pharmacol. Exp. Ther.*, 273:327-336, 1995.

Shim, I. & Wirtshafter, D. Fos-like immunoreactivity in the mammillary body and thalamus following injections of muscimol into the ventral tegmental nucleus of Gudden. *Brain Res.*, 712:173-178, 1995.

Asin, K.A., Wirtshafter, D & Nikkle, A.. Amphetamine induces Fos-like immunoreactivity in the primate striatum. *Brain Res.*, 719: 138-142, 1996.

Wirtshafter, D. & Krebs, J.C. Interactive effects of stimulation of D1 and D2 dopamine receptors on c-fos expression in the habenula. *Brain Research*, 750: 245-259, 1997.

Pitzer, M. & Wirtshafter, D. The distribution of reduced nicotinamide adenine dinucleotide phosphate diaphorase in the frog telencephalon and related projections. *Brain. Behav. Evol.*, 50: 152-166, 1997.

Shim, I., Javaid, J. & Wirtshafter, D. Dissociation of hippocampal serotonin release and locomotor activity following pharmacological manipulations of the median raphe nucleus. *Behav. Brain Res.*, 89: 191-198, 1997.

Wirtshafter, D., Asin, K.E. & G. Schardt. Compartmentally Specific Effects of Quinpirole on the Striatal Fos Expression Induced by a D₁ Dopamine Agonist in Intact Rats. *Brain Res.*, 771:271-277, 1997.

Wirtshafter, D. D1 dopamine receptors mediate neuroleptic induced Fos expression in the islands of Calleja. *Synapse*, 28:154-159, 1997.

Wirtshafter, D. & Cook, D.F. Serotonin-1B agonists induce compartmentally organized striatal Fos expression in rats. *NeuroReport*, 9,1217-1221, 1998.

Struthers, W.M. & Wirtshafter, D. Quinpirole attenuates the striatal Fos expression induced by escape behavior. *Brain Research*, 785,347-350, 1998.

Wirtshafter, D., Stratford, T.R. & Shim, I. Placement in a novel environment induces Fos-like immunoreactivity in supramamillary cells projecting to the hippocampus and midbrain. *Brain Research*, 789, 331-334, 1998.

Cook, D.F. & Wirtshafter, D. Quinpirole attenuates striatal c-fos induction by 5-HT, opioid and muscarinic receptor agonists. *Europ. J. Pharmacol.*, 349:41-47, 1998.

Wirtshafter, D. Clozapine attenuates the striatal Fos expression induced by typical neuroleptics. *Europ. J. Pharmacol.*, 358:1-3, 1998.

Wirtshafter, D. & Asin, K.E. Unilateral dopamine depletion paradoxically enhances amphetamine-induced Fos expression in basal ganglia output structures. *Brain Research*, 824: 81-88, 1999.

Wirtshafter, W. & Asin, K.E. Haloperidol induces Fos expression in the globus pallidus and substantia nigra of cynomolgus monkeys. *Brain Res.* 835: 154-161, 1999.

Cook, D. & Wirtshafter, D. Quinpirole attenuates the striatal immediate early gene expression, but not the hyperactivity, induced by the serotonin agonist RU-24969. *Brain Res.* 852: 247-254, 2000.

Wirtshafter, D. A comparison of the patterns of striatal Fos expression induced by various dopamine agonists in rats. *Neurosci. Lett.* 289: 99-102 2000.

Stratford, T. & Wirtshafter, D. Forebrain lesions differentially affect drinking elicited by dipsogenic challenges and injections of muscimol into the median raphe nucleus. *Behav. Neurosci.*, 114: 760-771, 2000.

Wirtshafter, D. The control of ingestive behavior by the median raphe nucleus. *Appetite* 36: 99-105, 2000.

Shim, I., Javaid, J., Wirtshafter, Djang, S.Y., Shin, K.H., Lee, H.J., Chung, Y.C. & Chun, B.G. Behavioral sensitization to nicotine is associated with extracellular dopamine release and expression of c-Fos in the striatum and nucleus accumbens of the rat. *Behav. Brain Res.* 121: 137-147, 2001.

Wirtshafter, D. & Asin, K.E. Comparative effects of scopolamine and quinpirole on the striatal Fos expression induced by stimulation of D1 dopamine receptors in the rat. *Brain Res.*, 893: 202-214, 2001.

Wirtshafter, D. & Sheppard, A. Localization of GABA-B receptors on monoamine containing neurons in the midbrain. *Brain Res. Bull.*, 56:1-5, 2001.

Wirtshafter, D. & Sheppard, A. Role of dopamine D(2) receptors in the striatal immediate early gene response to amphetamine in reserpinized rats. *Brain Res Bull.* 62: 77-83 2003.

Wirtshafter, D. & Asin, K.E. Effects of Haloperidol and Clozapine on Fos Expression in the Primate Striatum. *NeuroReport*, 14: 2429-2432 (2003).

Wirtshafter, D. Cholinergic-dopaminergic interactions and striatal Fos expression in the rat. *Eur. J. Pharmacol.*, 488: 85-90, 2004.

Gao, L., Barber-Singh,J., Kotegoda, S., Wirtshafter, D. & Shippy, S.A. Determination of nitrate and nitrite in rat brain perfusates by capillary electrophoresis. *Electrophoresis*, 25: 1264–1269, 2004

Wirtshafter, D. & Osborn, C.V. The distribution of m4 acetylcholine receptors in the islands of Calleja and striatum of rats and Cynomolgus monkeys. *J. Chem.Neuroanat.* 28: 107–116, 2004.

Stratford, T.R. & Wirtshafter, D. NPY mediates the feeding elicited by muscimol injections into the nucleus accumbens shell. *NeuroReport*, 15:959-965, 2004.

Wirtshafter, D. Form and function in the brain and spinal cord. (Book Review) *J. Chem. Neuroanat.*, 29: 296-297 (2005).

Wirtshafter, D. Cholinergic involvement in behaviorally-induced Fos expression in the cortex and hippocampus of the rat. *Brain Res.*, 1051:57-65, 2005.

- Wirtshafter, D. & Osborn, C.V. The atypical dopamine receptor agonist SKF83959 induces striatal Fos expression in rats. *Eur. J. Pharmacol.*, 528: 88-94, 2005.
- Wirtshafter, D. Forward to “Effective College and University Teaching, A Practical Guide” by E. Boyle and H. Rothstein (Granville Island Publishing; Vancouver), 2006.
- Wirtshafter, D. The selective m1 muscarinic antagonist MT-7 blocks pilocarpine induced striatal Fos expression. *Brain Res.*, 1085:127-131 (2006).
- Bhat, R., Chari, G., Rao, R. & Wirtshafter, D. Prenatal cocaine and morphine alter brain cyclin-dependent kinase 5 (Cdk5) in rat pups. *Neurotoxicol. Teratol.* 28: 625-628 (2006).
- Wirtshafter, D. Rotation and Fos expression following treatment with the atypical D1 dopamine agonist SKF 83822. *Pharmacol., Biochem. Behav.* 86: 505-510, 2007.
- Thongkhao-on, K., Wirtshafter, D., & Shippy, S. Low-flow push-pull perfusion of rat lateral hypothalamus reveals a feeding specific glutamate surge. *Pharmacol., Biochem. Behav.* 89:591-597, 2008.
- LaVinka, P.C., Brand, A., Landau, V.J., Wirtshafter, D. & Park, T.J. Extreme tolerance to ammonia fumes in African naked mole-rats: animals that naturally lack neuropeptides from trigeminal chemosensory nerve fibers. *J. Comp. Physiol. A. Neuroethol Sens Neural Behav Physiol.* 195:419-427 (2009)
- Wirtshafter, D. & Stratford, T.R. Evidence for motivational effects elicited by activation of GABA-A or dopamine receptors within the nucleus accumbens shell. *Pharmacol. Biochem. Behav.* 96: 342-346 (2010)
- Stratford, T.R. & Wirtshafter, D. Opposite effects on the ingestion of ethanol and sucrose solutions after injections of muscimol into the nucleus accumbens shell. *Behavioral Brain Res.*, 216: 514-518 (2011).
- Wirtshafter, D, Davis, J.D. & Stratford, T.R. Inactivation of the Median Raphe Nucleus Increases Intake of Sucrose Solutions: A Microstructural Analysis. *Behavioral Neuroscience.* 125:529-540, 2011. (2011).
- Stratford, T.R. & Wirtshafter, D. Evidence that the nucleus accumbens shell, ventral pallidum, and lateral hypothalamus are components of a lateralized feeding circuit. *Behav. Brain Res.* 226: 548-554 (2011).
- Covelo, I.R., Stratford, T.R. & Wirtshafter, D. Influence of the nucleus accumbens shell on a water reinforced progressive ratio task. *Pharmacol. Biochem. Behav.* (2012).
- Jones-Cage, C., Stratford, T.R. & Wirtshafter, D. Differential Effects of the Adenosine A_{2A} agonist CGS-21680 and Haloperidol on Fixed Ratio Responding in the Rat. *Psychopharmacol.*, 220: 205-213(2012). DOI 10.1007/s00213-011-2467-1

Stratford, T.R. & Wirtshafter, D. Effects of muscimol, amphetamine, and DAMGO injected into the nucleus accumbens shell on food-reinforced lever pressing by undeprived rats. *Pharmacol. Biochem. Behav.* 101: 499-503 (2012)

Choi WK, Wirtshafter D, Park HJ, Lee MS, Her S & Shim I. The characteristics of supramammillary cells projecting to the hippocampus in stress response in the rat. *Korean J Physiol Pharmacol.* 16:17-24 (2012).

Wirtshafter, D., Covelo, I.R. Salija, I. & Stratford, T.R. Effects of Muscimol in the Nucleus Accumbens Shell on Salt Appetite and Sucrose Intake: A Microstructural Study with a Comment on the Sensitization of Salt Intake. *Behav. Neurosci.* 126(5):699-709 (2012). DOI 10.1037/a0029641

Stratford,T.R. & Wirtshafter, D. Injections of muscimol into the paraventricular thalamic nucleus, but not mediodorsal thalamic nuclei, induce feeding in rats. *Brain Research* 1490: 128-133 (2013). DOI: 10.1016/j.brainres.2012.10.043.

Stratford,T.R. & Wirtshafter, D. Lateral hypothalamic involvement in feeding elicited from the ventral pallidum. *Eur. J. Neurosci.* 37(4): 648-653 (2013). DOI: 10.1111/ejn.12077

Shim, I.S., Stratford, T.R. & Wirtshafter, D. Dopamine is differentially involved in the locomotor hyperactivity produced by manipulations of opioid GABA and glutamate receptors in the median raphe nucleus. *Behav. Brain Res.* 261: 65-70 (2014). doi: 10.1016/j.bbr.2013.12.004

Covelo, I.R., Patel, Z.I., Luviano, J.A., Stratford, T.R. & Wirtshafter, D. Manipulation of GABA in the ventral pallidum, but not the nucleus accumbens, induces intense, preferential, fat consumption in rats. *Behav. Brain Res.* 270:316-325 (2014). doi: 10.1016/j.bbr.2014.05.032.

Wirtshafter, D. & Stratford, T.R. Chemogenetic inhibition of cells in the paramedian tegmentum increases locomotor activity in rats. Under Review.

Papers Presented (References to Abstracts Where Possible)

- Asin, K.E., D. Wirtshafter & E.W. Kent. Discrete raphe lesions: Effects on activity, amphetamine stereotypy and straight alley acquisition and extinction. *Soc. Neurosci. Abstr.* 2, 478, 1976.
- Wirtshafter, D., K.E. Asin & E.W. Kent. Differential involvement of the nigro-striatal and mesolimbic dopamine systems in spontaneous and amphetamine-induced activity. *Soc. Neurosci. Abstr.* 2, 509, 1976.
- Wirtshafter, D., K.E. Asin & E.W. Kent. Studies on the role of the nucleus accumbens in amphetamine-induced locomotion. *Soc. Neurosci. Abstr.* 3, 263, 1977.
- Asin, K.E., D. Wirtshafter & E.W. Kent. An investigation of the median nucleus of the raphe in behavior. *Soc. Neurosci. Abstr.* 3, 245, 1977.
- Asin, K.E., D. Wirtshafter & E.W. Kent. Behavioral effects of lesions of the median nucleus of the raphe. *Soc. Neurosci. Abstr.* 4, 267, 1978.
- Davis, R.E., D. Wirtshafter, K.E. Asin & E.W. Kent. GABA blockade: The effects of picrotoxin on bidirectional active avoidance, locomotor activity and straight alley performance. *Soc. Neurosci. Abstr.* 4, 489, 1978.
- Wirtshafter, D., K.E. Asin & E.W. Kent. Role of the tectospinal tract in apomorphine-induced rotation. *Soc. Neurosci. Abstr.* 4, 287, 1978.
- Wirtshafter, D., K.E. Asin & E.W. Kent. Median raphe lesions impair the acquisition and performance of an 8-arm maze task. *Soc. Neurosci. Abstr.* 5, 285, 1979.
- Davis, J.D., K.E. Asin & D. Wirtshafter. Body weight regulation following infusion of carbohydrate substances into the third ventricle. *Soc. Neurosci. Abstr.* 5, 215, 1979.
- Asin, K.E., D. Wirtshafter & E.W. Kent. Discrimination learning and reversal following electrolytic median raphe lesions. *Soc. Neurosci. Abstr.* 5, 269, 1979.
- Asin, K.E. & D. Wirtshafter. Feeding and drinking following electrolytic lesions of the median raphe nucleus. *Soc. Neurosci. Abstr.* 6, 129, 1980.
- Wirtshafter, D., K.E. Asin & E.W. Kent. An analysis of open field hyperactivity following electrolytic median raphe lesions in the rat. *Soc. Neurosci. Abstr.* 6, 422, 1980.
- Davis, J.D., D. Wirtshafter, K.E. Asin & D. Brief. Body weight and food intake control by intraventricular infusion of metabolically utilizable fuels. *Int. Conf. Physiol. Food & Fluid Intake*, Warsaw, Poland, 1980.

- Wirtshafter, D. & K.E. Asin. Studies suggesting a role for the dopaminergic system in the hyperactivity produced by electrolytic median raphe lesions. Soc. Neurosci. Abstr.. 342, 1981.
- Wirtshafter, D. & K.E. Asin. Afferent connections of the dorsal tegmental nuclei: A horseradish peroxidase study. Soc. Neurosci. Abstr.. 8, 218, 1982.
- Asin, K.E., D. Wirtshafter & B. Tabakoff. Conditioned place preference and ethanol. Soc. Neurosci. Abstr.. 9, 1241, 1983.
- Kozlowski, A., D. Wirtshafter & K.E. Asin. Electrolytic median raphe lesions reduce the ability of haloperidol to suppress an instrumental response. Soc. Neurosci. Abstr.. 9, 555, 1983.
- Wirtshafter, D., W. Montana & K.E. Asin. Stimulus discriminability and learning following electrolytic median raphe lesions. Soc. Neurosci. Abstr.. 9, 1171, 1983.
- Wirtshafter, D., W. Montana & K.E. Asin. Studies of the substrates of the hyperactivity produced by electrolytic lesions of the median raphe nuclei. Soc. Neurosci. Abstr.. 10, 1170, 1984.
- Wing, L., K.E. Asin & D. Wirtshafter. Role of dopamine in the hyperactivity produced by electrolytic median raphe lesions. Soc. Neurosci. Abstr.. 10, 1984.
- Kozlowski, A., D. Wirtshafter & K.E. Asin. Role of the midbrain raphe nuclei in the attenuation of neuroleptic induced catalepsy. Soc. Neurosci. Abstr.. 10, 1171, 1984.
- Asin, K.E., D. Wirtshafter & B. Tabakoff. Behavioral effects of diazepam in rats with midbrain raphe lesions. Soc. Neurosci. Abstr.. 10, 260, 1984.
- Davis, J.D., Campbell, C.S. Wirtshafter, D., & Tabor, J. Removal of intrascapular brown adipose tissue has little effect no body weight of hamsters or rats. Int. J. Obesity, 9(4): A178, 1985.
- Wirtshafter, D., Montana, W. & Asin, K.E. Studies on locomotor activity and rotation after lesions within or lateral to the median raphe nucleus. Neurosci. Abst. 11, 553, 1985.
- Asin, K.E. & Wirtshafter, D. Studies of the conditioned place preference induced by clonidine. Neurosci. Abst. 11, , 1985.
- Klitenick, M., Wirtshafter, D. & Asin, K.E. Studies on locomotor activity after injections of muscimol or morphine into the median raphe nucleus. Neurosci. Abst. 11, 20, 1985.

- Wing, L., Wirtshafter, D. & Asin, K.E. Rotational behavior after intra-striatal infusions of hemicholinium-3. *Neurosci. Abst.* 11, 687, 1985.
- Asin, K.E. & Wirtshafter, D. Evidence for dopamine involvement in reward using a latent extinction paradigm. *Neurosci. Abstr.*, 12, 941, 1986.
- Wirtshafter, D., Klitenick, M., McWilliams, C. & Asin, K.E. Is dopamine involved in the hyperactivity produced by injections of muscimol into the median raphe nucleus? *Neurosci. Abstr.*, 12, 1135, 1986.
- Montana, W.E., Wirtshafter, D. & Asin, K.E. Role of serotonergic and nonserotonergic mechanisms in rotational behavior produced by asymmetric median raphe lesions. *Neurosci. Abstr.*, 12, 1135, 1986.
- Stratford, T.R. & Wirtshafter, D. Locomotor activity following lesions within, rostral, caudal or ventral to the median raphe nucleus. *Neurosci. Abstr.*, 12, 1136, 1986.
- Wing, L.L., Wirtshafter, D. & Asin, K.E. Attenuation of haloperidol-induced catalepsy in rats following bilateral infusion of hemicholinium-3. *Neurosci. Abstr.*, 12, 1146, 1986.
- McWilliams, C., Wirtshafter, D. & Asin, K.E. Inhibition of spontaneous and ritalin-induced activity by injections of kainic acid into the median raphe nucleus. *Neurosci. Abstr.*, 12, 1146, 1986.
- Klitenick, M.A. & Wirtshafter, D. Muscimol-induced feeding and drinking: A comparison between the median raphe and dorsal raphe nuclei. *Neurosci. Abstr.*, 12, 1295, 1986.
- Klitenick, M.A. & Wirtshafter, D. Studies on the feeding and drinking elicited in rats following injections of muscimol into the median raphe nucleus. *Neurosci. Abstr.*, 13, 334, 1987.
- Wirtshafter, D. & Trifunovic, R. Evidence of a functional role for excitatory amino acids in the median raphe nucleus of the rat. *Neurosci. Abstr.*, 13, 406, 1987.
- Stratford, T.R. & Wirtshafter, D. Studies on the organization of the efferent connections of the diagonal band in the rat. *Neurosci. Abstr.* 13, 444, 1987.
- Trifunovic, R. & Wirtshafter, D. Effects of selective D1 and D2 agonists on regional dopamine metabolism in the rat. *Neurosci. Abstr.*, 13, 936, 1987.
- Stratford, T.R. & Wirtshafter, D. Studies on dopaminergic projections arising in the dorsal raphe. *Neurosci. Abstr.*, 14, 1028, 1988.
- Wirtshafter, D., Krebs, J. & Trifunovic, R. Studies on the effects of excitatory amino acid antagonists in the median raphe nucleus of the rat. *Neurosci. Abstr.*, 14, 944, 1988.

- Klitenick, M.A. & Wirtshafter, D. Studies on the effects of microinjections of various opiate peptides into the midbrain raphe nuclei or the ventral tegmental area. *Neurosci. Abstr.*, 14, 294, 1988.
- Wirtshafter, D., Stratford, T.R., Klitenick, M., Trifunovic, R. & Krebs, J.C. Studies on the control of ingestive behavior by the median raphe nucleus. *Neurosci. Abstr.*, 15, 1989.
- Stratford, T. & Wirtshafter, D. Evidence for a GABAergic projection to the mamillary bodies from Gudden's tegmental nuclei. *Neurosci. Abstr.*, 15, 1989.
- Klitenick, M. & Wirtshafter, D. Effects of opioid agonists in the midbrain tegmentum. *Neurosci. Abstr.*, 15, 1989.
- Stratford, T. & Wirtshafter, D. Evidence for a laminar organization of the diagonal band. Conference on Basal Forebrain Cholinergic Systems, Chicago, IL, May, 1990.
- Wirtshafter, D., Stratford, T.R. & Krebs, J. Control of food and water intake by the median raphe nucleus. The 6th International Congress on Obesity, Kobe, Japan, October, 1990. (Abstr in *Inter. J. Obes.* 14, Supp. 2: 71 (1990).
- Stratford, T.R. and Wirtshafter, D. Opposite effects on ingestive behavior following chronic muscimol administration into the median raphe or ventral tegmental area. *Neurosci. Abstr.* 16, 910, 1990
- Wirtshafter, D., Stratford, T.R., Pitzer, M and Krebs, J.C. Behavioral and biochemical studies on the role of GABA-B receptors in the median raphe nucleus. *Soc. Neurosci. Abstr.*, 17, 1043, 1991.
- Stratford, T.R. and Wirtshafter, D. The postoperative hyperactivity observed following electrolytic lesions of the lateral hypothalamus is attenuated by mCPP but not haloperidol. *Soc. Neurosci. Abstr.*, 17, 1230, 1991.
- Stratford, T.R., Wirtshafter, D. and Davis, J.D. microinjections of muscimol into the median raphe increase intake of 0.05 M and 0.29M sucrose solutions. *Int. J. Obesity.*, 15 (Suppl 3), 45, 1991.
- Wirtshafter, D. Effects of raphe lesions and serotonin depletion on passive avoidance. *Soc. Neurosci. Abstr.*, 18, 355, 1992.
- Pitzer, M.R. and Wirtshafter, D. Locomotor effects of microinjections of kainic acid into the median raphe (MR), dorsal raphe (DR), ventral tegmental area (VTA) and the pontine raphe nucleus (NRP). *Soc. Neurosci. Abstr.* 18, 355, 1992.
- Shim, I., Krebs, J. and Wirtshafter, D. Effects of dopamine blockade on the hyperactivity produced by drug injections into the median raphe nucleus of the rat. *Soc. Neurosci. Abstr.*, 18, 1070, 1992.

- Stratford, T.R. and Wirtshafter, D. The hyperdipsia induced by injection of muscimol into the median raphe nucleus (MR) is attenuated by lesions of the subfornical organ (SFO) or lateral hypothalamus (LH). *Soc. Neurosci. Abstr.* 18, 1230, 1992.
- Pitzer, M.R. and Wirtshafter, D. The distribution of nitric oxide synthase in the frog brain. *Soc. Neurosci. Abstr.*, 19, 161, 1993.
- Nikkel, A., Asin, K.E., Bednarz, L. and Wirtshafter, D. Asymmetric collicular c-fos expression following levo-DOPA in rats with unilateral dopamine depletions. *Soc. Neurosci. Abstr.*, 19, 890, 1993.
- Shim, I. and Wirtshafter, D. Expression of c-fos in the mamillary body following injections of muscimol into the dorsal and ventral tegmental nuclei of Gudden in the rat. *Soc. Neurosci. Abstr.*, 19, 1443, 1993.
- Sahni, S.K., Wirtshafter, D., Davis, J.M. and Javaid, J.L. Effect of 5,7-dihydroxytryptamine lesions on cocaine-induced behavioral activity in rats. *Soc. Neurosci. Abstr.*, 19, 1846, 1993.
- Shim, I., Stratford, T.R. and Wirtshafter, D. Placement in a novel environment induces Fos-like immunoreactivity in supramamillary cells projecting to the hippocampus and midbrain. *Soc. Neurosci. Abstr.*, 20, 345, 1994.
- Pitzer, M. and Wirtshafter, D. Effects of serotonin depletion on intra-median raphe kainic acid-induced hyperactivity. *Soc. Neurosci. Abstr.*, 20, 3378, 1994.
- Struthers, W.M. and Wirtshafter, D. Sexual behavior in female rats induces Fos-like immunoreactivity in medial hypothalamic cells projecting to the central gray. *Soc. Neurosci. Abstr.*, 20, 591, 1994.
- Wirtshafter, D. Fos-like immunoreactivity in basal ganglia outputs following administration of dopamine agonists. *Soc. Neurosci. Abstr.*, 20, 1190, 1994.
- Struthers, W.M. and Wirtshafter, D. Copulation induces Fos-like immunoreactivity in the striatum of male rats. *Soc. Neurosci. Abstr.*, 21, 701, 1995.
- Cook, D. and Wirtshafter, D. Serotonin agonist-induced c-fos expression in the rat striatum. *Soc. Neurosci. Abstr.*, 21, 1424, 1995.
- Wirtshafter, D., Asin, K.E. and Nikkle, A. Differential effects of scopolamine and quinpirole on D1 agonist induced striatal c-fos expression in the rat. *Soc. Neurosci. Abstr.*, 21, 1425, 1995.
- Shim, I. and Wirtshafter, D. Dissociation of hippocampal serotonin release and locomotor activity following drug injections into the median raphe nucleus. *Soc. Neurosci. Abstr.*, 21, 1694, 1995.

- Shim, I., Wirtshafter, D. and Javaid, J. Effect of dopaminergic agonists on locomotor activity and striatal GABA release: *in vivo* microdialysis in freely moving rats. Soc. Neurosci. Abstr., 22, 77, 1996
- Pitzer, M.R. and Wirtshafter, D. Electrolytic lesions of the ventral tegmental area attenuate hyperactivity elicited by infusing low doses of kainic acid into the lateral hypothalamus in the rat. Soc. Neurosci. Abstr., 22, 445, 1996.
- Struthers, W. M. and Wirtshafter, D. Forced or voluntary locomotor activity elicits Fos-like immunoreactivity in the rat striatum. Soc. Neurosci. Abstr., 22, 1086, 1996
- Cook, D.F. and Wirtshafter, D. The D2 agonist quinpirole attenuates striatal c-fos expression induced by serotonergic, opiate and muscarinic agonists. Soc. Neurosci. Abstr., 22, 1089, 1996.
- Wirtshafter, D. Haloperidol and clozapine induce Fos-like immunoreactivity in the primate basal ganglia. Soc. Neurosci. Abstr., 22, 1087, 1996
- Balandrin, M.F., Van Wagenen, B.C., Roeloffs, R., Albensi, B.C., Wirtshafter, D., Shieh, H.L., Pezzuto, J.M and Cordell, G.A. Valerian-derived sedative agents III. Isovaleramide, a novel anxiolytic agent from valerian-derived isovaleric acid esters (Valeriana spp., Valerianaceae). Presented at the 37th Annual Meeting of the American Society of Pharmacognosy, Santa Cruz, CA 1996. (Abstract in Program)
- Wirtshafter, D. Fos expression in the basal ganglia following pharmacological inactivation of the globus pallidus. Soc. Neurosci. Abstr., 23, 467, 1997.
- Asin, K.E. & Wirtshafter, D. Interactive effects of D1 and D2 dopamine receptor stimulation on Fos-like immunoreactivity in the primate striatum. Soc. Neurosci. Abstr., 23, 746, 1997.
- Cook, D.F. & Wirtshafter, D. Behavioral and biochemical effects of discrete lesions within the median raphe, dorsal raphe or paramedian midbrain tegmentum of the rat. Soc. Neurosci. Abstr., 23, 1218m 1997,
- Struthers, W.M., Wirtshafter, D. & Jones, C. An analysis of striatal Fos-like immunoreactivity induced by sex or forced locomotor activity: Distribution throughout the matrix and striosomes. Soc. Neurosci. Abstr., 23, 1218, 1997.
- Pitzer, M.R. & Wirtshafter, D. The selective destruction of VTA dopamine containing neurons fails to alter the locomotor activity elicited by infusing low doses of kainic acid into the lateral hypothalamus of the rat. Soc. Neurosci. Abstr., 23, 1856, 1997.
- Wirtshafter, D. & Reilly, S. Effects of dopamine agonists on performance in an operant licking paradigm. Midwest Psychological Association, 1999.
- Jones, C. & Wirtshafter, D. Comparative effects of an adenosine agonist and a dopamine antagonist on operant behavior. Midwest Psychological Association, 1999.

- Struthers, W.M. & Wirtshafter, D. The effects of novelty and raclopride on striatal Fos-like immunoreactivity. Midwest Psychological Association, 1999.
- Cook, D.F. & Wirtshafter, D. The effects of quinpirole pretreatment on RU-24969-induced hyperactivity and striatal Fos expression in the rat. Midwest Psychological Association, 1999.
- Kane, M.C. & Wirtshafter, D. (2002). The M2/M4 Muscarinic Receptor Agonist BuTAC Attenuates Dopamine-Agonist Induced Behaviors. Society for Neuroscience Annual Meeting, Orlando, FL.
- Kane, M.C. & Wirtshafter, D. (2003). Paper presentation. The M2/M4 Muscarinic Receptor Agonist BuTAC Attenuates Dopamine-Agonist Induced Behaviors. Midwestern Psychological Association Annual Meeting, Chicago, IL.
- Kane, M.C. & Wirtshafter, D. Effect of repeated testing on catalepsy induced by neuroleptics and other drugs. Society for Neuroscience, New Orleans, LA, November 2003.
- Kane, M.C. & Wirtshafter, D. . The M2/M4 muscarinic receptor agonist BuTAC attenuates dopamine agonist-induced behaviors. Midwest Neurobiology Conference, Chicago, IL, May 2004.
- Kane, M.C. & Wirtshafter, D. Divergent patterns of catalepsy after neuroleptics and other drugs. Midwestern Psychological Association, Chicago, IL, April 2004.
- Bhat R, Chari G, Wirtshafter D. Regionally Specific Effects of Chronic Prenatal Cocaine dministration on Cdk5 Levels in the Developing Rat Brain. Pediatr Res. 55: 409A., 2004.
- Kane, M.C. & Wirtshafter, D. The role of the mammillary bodies in activity and learning. Society for Neuroscience, San Diego, CA, Abstr. #187.89, 2004.
- Samaan, D.W., Park, T.J., Wirtshafter, D. & Comer, C.M. The structure of a “non-visual” tectum. Society for Neuroscience, Washington, DC., Abstr. #624.3, 2005
- Bhat, R., Chari, G., Wirtshafter, D. On- and off-label drug use in hospitalized infants. Pediatric Res., 2005.
- Thongkhao-On, K., Wirtshafter, D. & Shippy, S.A. Assaying extracellular glutamate levels in subregions of the lateral hypothalamus of feeding rats. Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, Orlando, FL, Abstr.# 440.13, 2006.
- Thongkhao-oni, Wirtshafter, D. & Shippy, S.A. Feeding-specific glutamate surge at the lateral hypothalamus determined by low-flow push-pull perfusion. Society for Neuroscience, Abstr. 457.3. (2006).

- Kane, M. & Wirtshafter, D. Asymmetrical Fos expression following conditioned and drug-induced rotation in rats. Society for Neuroscience, Abstr 180.20/MM15 (2007).
- Stratford, T.R. & Wirtshafter, D. Activation of GABA-A receptors in the nucleus accumbens shell elicits opposite effects on consumption of sucrose and saccharin solutions. Society for Neuroscience Abstr 630.5/YY25 (2007).
- Wirtshafter, D. Conditioning and sensitization of dopamine antagonist-induced hypoactivity. Society for Neuroscience Abstr. 710.14/BB8 (2007).
- Gandhi, D., Rouche, P., Wirtshafter, D., & Valyi-Nagy, T. Histological assessment of the polyimide based implantable microelectrode arrays. Biomedical Engineering Society (2007).
- Gopal C, Zagariya, A, Bandepalli, R., Wirtshafter, D. & Bhat, R. Role of Glycogen Synthase Kinase-3 (GSK-3) in Morphine Induced Tolerance and Apoptosis. Society for Pediatric Research (2008).
- Bandepalli, R., Wirtshafter, D., Chari G. and Bhat, R. Increased neuronal survival by Lithium is mediated by GSK3-B pathway in newborn rat. Society for Pediatric Research (2008).
- Kane, M. & Wirtshafter, D. Asymmetrical Fos Expression Following Conditioned and Drug-Induced Rotation in Rats. Midwest Psychological Society (2008).
- Wirtshafter, D. & Stratford, T.R. Activation of GABA-A receptors in the nucleus accumbens shell induces dopamine-dependent hyperactivity in rats. Society for Neuroscience Annual Meeting, Chicago (2009).
- Samaan, D.Y., Baba, Y., Wirtshafter, D. & Comer, C.M. Development of touch-evoked orientation and midbrain organization in a naturally blind mammal, Heterocephalus glaber. Society for Neuroscience Annual Meeting, Chicago (2009).
- Kane, M. & Wirtshafter, D. Fos-expression following rotation and restraint in the unilateral 6-hydroxydopamine (6-OHDA) model in rats. Society for Neuroscience Annual Meeting, Chicago (2009).
- Stratford, T.R. & Wirtshafter, D. Activation of GABA-A or u-opioid receptors in the nucleus accumbens shell increases food-reinforced operant responding in sated rats. Society for Neuroscience Annual Meeting, Chicago (2009).
- Stratford, T.R. & Wirtshafter, D. Ventral pallidal and hypothalamic components of the nucleus accumbens shell feeding circuit. Program International Society for the Study of Ingestive Behavior Annual Meeting, p. 81, Saradina, Italy. (2010).

Kane, M., Stratford, T.R. & Wirtshafter, D. Asymmetrical Fos expression following rotation in the unilateral 6-OHDA model in rats: Are visual cues necessary? Soc. Neurosci. Abstr. 199.01. (2011).

Stratford, T.R. & Wirtshafter, D. Evidence of a lateralized feeding circuit involving the nucleus accumbens shell, ventral pallidum, and lateral hypothalamus. Soc. Neurosci. Abstr. 285.09 (2011).

Covelo, I.R., Stratford, T.R. & Wirtshafter, D. Inactivation of the median raphe nucleus, but not the nucleus accumbens shell, increases lever pressing on a water reinforced progressive ratio task. Soc. Neurosci. Abstr. 942.22 (2011).

Wirtshafter, D. & Stratford, T.R. Dopaminergic control of Fos expression in the midbrain tegmentum. Soc. Neurosci. Abstr. 586.11 (2011).

Wirtshafter, D. & Stratford, T.R. 2-Deoxyglucose Induced Striatal Fos Expression is Potentiated by Dopamine Depletion. Soc. Neurosci. Meeting Planner 283.13. (2012).

Covelo, I.R., Salija, I., Wirtshafter, D. & Stratford, T.R. Accumbens shell and medial ventral pallidum increase ingestive behavior but not palatability: a microstructural study. Soc. Neurosci. Meeting Planner, 925.12 (2012).

Covelo, I. R., Wirtshafter, D. and Stratford, T. R. "Unilateral activation of the medial ventral pallidum using NMDA induces feeding and Fos expression in the lateral hypothalamus." Soc. Neurosci. Meeting Planner. (2013).

Covelo, I.R., Wirtshafter, D. & Stratford, T.R. Bicuculline injections into the medial ventral pallidum alter macronutrient selection in rats. Abstracts of the Annual Meeting of the Society for the Study of Ingestive Behavior. (2014).

Wirtshafter,D. , Covelo, I.R., Horodenska, N., Luviano, J.A., Patel, Z.I. and Stratford, T.R. Ventral striatopallidal control of macronutrient intake. Soc. Neurosci. Meeting Planner. (2015).

Wirtshafter, H.S. and Wirtshafter, D. Conditioning and sensitization of dopamine antagonist effects on open field activity . Soc. Neurosci. Meeting Planner. (2015).